



# High Bay Halo

## LX-HALO-Dairy-200W

165LM/W





### Features:

- High Lumens Output
- Waterproof
- Excellent Biocompatibility
- Hydrophobic Surface
- IP Grade: IP66

### Application:

Perfect for dairy farms, this lamp ensures efficient nighttime operations while keeping cows calm and comfortable, improving milk yield and promoting a more humane farming environment.



**RoHS**



# 1 Parameter



Wattage	CRI	Power Factor
200W+15W Red	Ra>70/80	>0.95
Operating Temp	IP Grade	Luminous Flux
-40°C ~ 55°C	IP66	33,000LM±5%
Beam Angle	Rated Voltage	
120°	AC100-240V 277V~, 50/60Hz	

**200 Lux Simulated daylight to help mimic natural bovine circadian rhythm**


**Bright White Light Enhances Work Efficiency**  
Powerful white light enables workers to perform tasks more clearly and efficiently during the day.

**Red LED light provides adequate low levels of light for humans without disturbing the herd.**

**Red Light Reduces Stress**  
Nighttime red lighting helps minimize cow stress, enhancing overall productivity on the farm.

**LX-HALO-DAIRY-200W**

# 2 Beam angle



120°


### 3 Installation



1. Ceiling Installation



2. Suspension Installation



### 4 Dimensions

500x68mm

### 5 Packaging

Net Weight	Size of Box	Weight of Box	Size of Carton	Gross Weight	Box PCS / Carton
5.6KG±5%	57*57*20cm	6.8KG ± 5%	58*58*42cm	17.4KG ± 5%	2